

	Application No.	Applicant(s)
Notice of Allowability		
	10/667,566 Examiner	OHMURO ET AL. Art Unit
	Wen-Ying P. Chen	2871
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 2/03/06.		
2. The allowed claim(s) is/are 28 and 29.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No. <u>08/939,822</u> .		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of		
Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 08), 7. ⊠ Examiner's Amendr	te nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	_	S. Hoddono Idi / illotturido
	9. 🗌 Other	

Art Unit: 2871

DETAILED ACTION

Response to Amendment

Applicant's Amendment filed Feb. 3, 2006 has been received and entered. Claims 30 and 31 are cancelled per the Amendment filed, therefore, claims 28 and 29 remain pending in the current application.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: The Title of the invention has been changed to "Liquid Crystal Display Device Comprising P-Type Liquid Crystal Layer Operating in Vertically Aligned Mode Including First and Second Retardation Films".

Allowable Subject Matter

Claims 28 and 29 are allowed.

Regarding claim 28, the closest prior art, Yoshimizu et al. (US 5249071) disclose in Figure 10 a liquid crystal display device comprising all of the limitations set forth in claim 28 having the recited retarder/polarizer configuration with respect to the liquid crystal cell such that

a retardation film of a negative optical anisotropy is disposed further away from the liquid crystal layer than a retardation film of a positive optical anisotropy.

Page 3

However, Yoshimizu et al. fail to disclose or fairly suggest, alone or in combination that the P-Type liquid crystal layer is vertically aligned and that when in activated state, an electric field is formed between the first and second electrodes in a direction oblique to the liquid crystal layer such that the liquid crystal molecules change from an initial direction to another direction parallel to the first and second substrates.

Therefore, is considered to be of a novel and inventive concept, thus claim 28 is allowed.

Regarding claim 29, since claim 29 depends directly on the allowed claim 28, therefore, claim 29 is also allowed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Wen-Ying P. Chen whose telephone number is (571)272-8444. The examiner can normally be reached on 8:00-5:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H. Kim can be reached on (571)272-2293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/667,566 Page 4

Art Unit: 2871

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Wen-Ying P Chen Examiner Art Unit 2871

WPC 2/13/06

Andwhlutte ANDREW SCHECHTER PRIMARY EXAMINER